

TEST REPORT: No. CRSSA/200843941-CA42313 **REPORTED DATE: 11/08/2020**

Job Ref. CRS/2020-07-16-002

: -PLEASE REFER TO NEXT PAGE(S)-

HEALTHWEST PTY LTD

153. HICKS STREET **MUNDIJONG WA 6123 AUSTRALIA**

The following sample(s) was/were submitted and identified by applicant as:

SAMPLE MARKING : HC 20

SAMPLE RECEIVED : 16/07/2020

TESTING PERIOD : 16/07/2020 to 26/07/2020

TEST REQUESTED : -PLEASE REFER TO NEXT PAGE(S)-**TEST METHOD**

TEST RESULTS : -PLEASE REFER TO NEXT PAGE(S)-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

CHUM WEI LON 10871-T OPERATIONS SECTION HEAD MOROANALYST NO. MJMM 0667

Test Report Form No.: SGS/TR/CRS/025, Ver: 1.0, Effective Date: 24/06/2020

Page 1 of 3

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions that the initiation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 14 days (for perishable samples) or 90 days only.



TEST REPORT: No. CRSSA/200843941-CA42313 **REPORTED DATE**: 11/08/2020

Job Ref. CRS/2020-07-16-002

Test Results:

Test Part Description:

Sample Description: HC 20

Test Item(s)	Initial Microorganisms Load (cfu/mL)	After Contact Time * (cfu/mL)	Percentage Reduced (%)
Aspergillus brasiliensis (ATCC 16404)	3.7 x 10 ⁴	0	99.999
Bacillus cereus (ATCC 11778)	2.9 x 10 ⁷	0	99.999
Candida albicans (ATCC 10231)	3.0 x 10 ⁷	0	99.999
Enterobacter aerogenes (ATCC 13048)	1.1 x 10 ⁹	0	99.999
Escherichia coli (ATCC 8739)	1.4 x 10 ⁹	0	99.999
Klebsiella pneumonia (ATCC 13883)	6.2 x 10 ⁸	0	99.999
Listeria monocytogenes (ATCC 7644)	2.4 x 10 ⁸	8.2 x 10 ⁴	99.966
Pseudomonas aeruginosa (ATCC 9027)	3.6 x 10 ⁸	0	99.999
Salmonella enterica sv Typhimurium (ATCC 14028)	7.4 x 10 ⁸	0	99.999
Staphylococcus aureus (ATCC 6538)	8.5 x 10 ⁸	0	99.999

Test Method: - In-House method based on USP 51

Note: 1) The sample was submitted for microorganisms removal efficiency testing. A pre-cultured microorganism suspension was first prepared and its colony count was estimated. After that, the microorganism suspension was inoculated into the sample and tested after contact time * as specified by applicant. The results obtained are shown in the table as above.

2) * Contact Time specified by applicant: 1 Hour

3) Dilution Factor specified by applicant: No Dilution

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

CHUM WEI LON
OPERATIONS SECTION HEAD

MOCROANALYST NO. MJMM 0667

Test Report Form No.: SGS/TR/CRS/025, Ver: 1.0, Effective Date: 24/06/2020

Page 2 of 3

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 14 days (for perishable samples) or 90 days only.



TEST REPORT: No. CRSSA/200843941-CA42313 **REPORTED DATE:** 11/08/2020

Job Ref. CRS/2020-07-16-002

Test Part Description:

Sample Description: HC 20



SGS authenticate the photo on original report only

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

CHUM WEI LON
OPERATIONS SECTION HEAD MOORD ANALYST NO. MJMM 0667

Test Report Form No.: SGS/TR/CRS/025, Ver: 1.0, Effective Date: 24/06/2020

*** End of test report ***

Page 3 of 3

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/ferms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 14 days (for perishable samples) or 90 days only.